

MATERIAL SAFETY DATA SHEET

Complies with OSHA's Hazard Communication Standard (29CFR 1910.1200)

SECTION I * PRODUCT IDENTIFICATION

Product Name: ADHESIVE OFF/VANILLA SMASH Product Number: 262 Suppliers Name: CrystalTek-West End Products 1016 Windward Ridge Pkwy, Alpharetta, GA 30005 USA Phone 770.643.8501 Fax 770.643.8820 www.crystaltek.us.com	D.O.T. Label.....Non-Regulated Shipping Name.....Non-Regulated Reportable Quantity.....Not applicable Environmental Status.....BIODEGRADABLE Reclaim Alerts.....None Sanitary Sewer Alert.....None	HMIS RATING Health Hazard...1 Fire Hazard.....2 Reactivity.....0 Date:10/10/2011
---	---	---

SECTION II * INGREDIENTS

CHEMICAL NAME	CAS NO.	%WT	PEL(ppm)	TWA-TLV(ppm)	CARCINOGEN NO
Extraction	5989-54-8	5-20%			

*These chemicals are subject of reporting requirements of section 313 of SARA TITLE III and CFR 372

SECTION III * PHYSICAL DATA

SECTION IV * FIRE AND EXLOSION DATA

Appearance.....clear liquid Specific Gravity.....0.99 Boiling Point.....>330F Freezing Point.....n/a %Volatiles.....10% Odor.....vanilla to fruity Solubility.....water borne pH(AS IS).....n/a Evaporation Rate.....>2.0 Butyl acetate.....=1.0	Flash Point..... >143 deg F Auto Ignition Temperature.....Not Determined Extinguishing Media..... Foam, Carbon Dioxide, And Dry Chemical Special Fire Fighting Procedures...Hazardous gases such as Carbon Monoxide may be produced if fire.
---	---

SECTION V * REACTIVITY DATA

SECTION VI * STORAGE AND HANDLING

Stability.....Stable Hazardous PolymerizationWill not occur Incompatibility.....Avoid contact with strong oxidizers, acids, alkalies. Hazardous Decomposition Products.....Thermal decomposition is highly dependent on conditions.	KEEP OUT OF THE REACH OF CHILDREN Keep from freezing. Keep container tightly closed. Store in a well ventilated area. Do not mix with strong oxidants, acids, or alkalies.
--	---

SECTION VII * HEALTH AND FIRST AID

PRIMARY ROUTES OF ENTRY

FIRST AID PROCEDURES

EYES.....Contact may cause irritation. SKIN.....Contact may cause irritation. INHALATION.....May cause irritation to throat after prolonged exposure. INGESTION.....Ingesting large amounts May cause tissue damage. Consult physician immediately for additional advice and treatment.	EYES.....Flush with large amounts of running water for at least 15 minutes while holding upper and lower lids open. If irritation persists get medical attention immediately. SKIN.....Wash with water after exposure. INHALATION.....Move to fresh air. INGESTION....Drink large amounts of water, do not induce vomiting. Consult physician immediately for additional advice and treatment.
--	---

SECTION VIII * PROTECTION DATA

SECTION IX * ENVIRONMENTAL

RESPIRATORY PROTECTION Provide adequate ventilation. Avoid prolonged exposure to fumes. PROTECTIVE CLOTHING Wearing protective eyewear highly recommended by OSHA to prevent accidental exposure.	SPILL CLEAN-UP PROCEDURE ALL COMPONENTS ARE READILY BIODEGRADABLE Stop spill or leak if it can be done safely. Contain spill to smallest possible area. Dispose of in accordance with all local, state and federal regulations. Not listed as EPA hazardous waste
---	---

The information in this MATERIAL SAFETY DATA SHEET is pursuant to 29CFR 1910.1200 to convey information concerning the hazardous nature of the named product. The information supplied was compiled from the most reliable sources available at the time of preparation and in light of the most reasonable foreseeable exposure situations expected from the intended use of this product. The material(s) may present greater of lesser hazard exposure under other circumstances that are beyond the control of the manufacturer. Therefore it is imperative that all direction and warnings on label be read and followed.